

612.843 + 612.84

(Gouras, 1958).

(Leão, 1944),

(2—4 .)

(Leão, 1944; Grafstein, 1956).

5—10

3—5

[1—2 ,
(Grafstein, 1956)].

5—10

(, 1962).

R *ridibunda*.

(1959),

(. 1),

(, 1959).

0.5

(5 .)

« »

« »

(

)

(

)

(Guras, 1958)

30—60

5—8

20

3—

1 2.


(. 2),

2

1


(3 .), 400

(. 1,),



12 (, (20%),
(. 1, ,).

(Freygang, Landau, 1955)



. 2.

400 . 40 . (6 . , 6 .)

20%.

10—

(Bures . ., 1960),

.., , 4, 6, 689, 1959; . ., 29, . ., 1962.
Bures J., E. Fiková, J. Maršala, Journ. Comp. Neurol., 114, 1, 1, 1960.

Fr gang W. H., W. M. Landau, Journ. cell. omp. Physiol., 45, 377, 1955.
Gouras P., Am. Journ. Physiol., 195, 1, 28, 1958.
Grapstein ., Journ. Neurophysiol., 19, 154, 1956.
Leã A. A. P., Journ. Neurophysiol., 7, 359, 1944.

10 VI 1964

SPREADING DEPRESSION OF ACTIVITY IN BIPOLAR RETINAL
CELLS OF THE FROG

By *V. V. Maksimov* and *G. M. Zenkin*

From the Institute of Problems of Information Communication, USSR Acad.
Sci., Moscow